

COASTAL WATER AUTHORITY
 LYNCHBURG PUMP STATION
 908 INDEPENDENCE PKWY N
 BAYTOWN TX 77520-1049

Number 2003327742
Dated 01/13/22
Valid to 04/30/22
E+H Project LYNCHBURG PUMP STATION 0 DN
Customer No.: 46096755

External Sales Vector Controls LLC - Elexander Salinas
Elexander.Salinas@vectorcag.com

Inside Sales Vector Controls LLC - Sales
Telephone 800-969-5678
sales@vectorcag.com

Your Reference Lynchburg
 Dated 01/13/22

Issue PO to:
Endress+Hauser c/o Vector Controls LLC
2350 Endress Place
Greenwood, IN 46143

Summary



Item	Qty	Product	Delivery time	Net value (USD)
10	5 PC	Promag W 400, 5W4CT2, DN1200 48" 5W4CT2-6EQ0/0 (5W4CT2-AAKLHN2DHW1K0A+BAEBPC)	on request	146,065.00 Unit price 29,213.00
20	10 PC	Promag, grounding disc/protection disc DK5GD-T2AHP	16 wrk.day(s)	20,653.60 Unit price 2,065.36

Endress+Hauser Inc.
 Toll Free - 888-ENDRESS
 FAX - 317-535-8498
 www.us.endress.com

Regional Centers:
 East - Chalfont, PA 18914
 Gulfcoast - Pearland, TX 77047
 Midwest - Greenwood, IN 46143
 West - Pearland, TX 77047

Remit To:
 ENDRESS+HAUSER -DEPT 78795
 P.O. Box 78000
 DETROIT, MI 48278-0795

Total prices:	166,718.60
Logistic Service	3,406.64
Net value	170,125.24
Sales Tax Total	0.00
Total including tax (USD)	170,125.24

Consignee

Payment term

Net 30 Days

Delivery conditions

DAP Delivered at place CUSTOMER SITE - Incoterms® 2020

Warranty

Details are listed in the items further below.

Delivery time

The mentioned delivery times are calculated in working days and are based on partial, standard delivery service.

If you wish complete delivery, please contact your sales representative.

Details Dated 01/13/22 

Item	Qty	Product	Net value (USD)
------	-----	---------	-----------------

10	5 PC	Promag W 400, 5W4CT2, DN1200 48" <u>5W4CT2-6EQ0/0</u> (5W4CT2-AAKLHN2DHW1K0A+BAEBPC)	146,065.00
----	------	--	-------------------

EDI-Orderref.: 2003327742-0010 Unit price 29,213.00

Electromagnetic flowmeter
 Inline version.
 Application: Ideal for water measurement
 e.g. drinking water, utility water
 and industrial/municipal wastewater.
 International drinking water approvals.
 Installation length: DVGW/ISO conform.
 Corrosion-resistant transmitter version.
 Same housing for compact/remote version.
 :: Versatile standard flowmeter
 for the water and wastewater industry
 :: Constant accuracy with 0 x DN inlet
 run and no pressure loss (optional).

Warranty 12 months after delivery

Delivery time on request

Order code description

- AA Approval: Non-hazardous area
- K Design: Fixed flange, long face-to-face length, 0 x DN inlet/outlet runs
- L Power Supply: 100-240VAC/24VAC/DC
- H Output; Input: 4-20mA HART, pulse/freq., switch output
- N Housing: Remote, polycarbonate
- 2 Cable, Remote Version: 10m/30ft coil + signal cable
- D Electrical Connection: Thread NPT1/2
- H Liner: Hard rubber
- W1K Process Connection: Cl.D, carbon steel, flange AWWA C207
- 0 Electrodes: 1.4435/316L
- A Calibration Flow: 0.5%
- BA >Display; Operation: WLAN
- EB >>Application Package: Heartbeat Verification + Monitoring
- PC >>Accessory Enclosed: Pipe mounting kit

Item	Qty	Product	Net value (USD)
------	-----	---------	-----------------

Details

Format display	1 value, max. size
Value 1 display	Volume flow
Value 2 display	None
Value 3 display	None
Value 4 display	None
Display damping	0.00000 s
Totalizer 1	
Unit	USgal
Operating mode totalizer	Net flow total
Failure mode	Stop
Totalizer 2	
Unit	USgal
Operating mode totalizer	Net flow total
Failure mode	Stop
Totalizer 3	
Unit	USgal
Operating mode totalizer	Net flow total
Failure mode	Stop
Curr. output 1	Volume flow
Current span	4...20 mA US
Value 0/4 mA	0.00000 USgal/min
Value 20 mA	42,000.00000 USgal/min
Failsafe mode current output	Max.
Damping output 1	1.00000 s
Operating mode	Pulse
Assign pulse output	Volume flow
Pulse value (per pulse)	400.00000 USgal
Pulse width	100.000 ms
Failsafe mode pulse output	No pulses

Country of origin	Country of dispatch	HS-Code
FR	FR	9026102040

20	10 PC	Promag, grounding disc/protection disc DK5GD-T2AHP	20,653.60
----	-------	---	------------------

EDI-Orderref.:	2003327742-0020	Unit price	2,065.36
----------------	-----------------	------------	----------

Includes 1 grounding disc/protection

Item	Qty	Product	Net value (USD)
------	-----	---------	-----------------

disc

Delivery time 16 wrk.day(s)

Order code description

T2A Nominal Diameter: DN1200 48", 1.4435/316L

H Liner: Hard rubber

P Process Connection: Cl.D, AWWA C207

Country of origin	Country of dispatch	HS-Code
IN	IN	9026902000

General Terms & Conditions of Sale (01/29/2018)

This quotation and any contract arising from it is issued subject to the Endress+Hauser Ltd General Terms & Conditions of Sale, Rev 9 January 2017 (the 'Conditions'). Your attention is expressly drawn to the Conditions that can be found on our website at (<https://www.us.endress.com/static/terms-conditions>) or are available at request. Unless otherwise agreed in writing, the Conditions shall be incorporated into all contracts between us and shall be the sole condition under which the supply of goods and/or services takes place.